

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/577,221	05/23/2000	Michael A. Rolenz	D-375 4189		
7590 06/14/2005			EXAM	EXAMINER	
Derrick M Reid			BELLO, AGUSTIN		
Patent Attorney The Aerospace Corporation P O Box 92957 M1 040			ART UNIT	PAPER NUMBER	
			2633		
Los Angeles, (CA 90009-2957		DATE MAILED: 06/14/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		09/577,221	ROLENZ, MICHAEL A.			
		Examiner	Art Unit			
		Agustin Bello	2633			
The MAILING DATE of the Period for Reply	s communication appe	ears on the cover sheet with the	correspondence address			
 If NO period for reply is specified above, the Failure to reply within the set or extended 	COMMUNICATION. the provisions of 37 CFR 1.13/ te of this communication. is than thirty (30) days, a reply e maximum statutory period wi period for reply will, by statute, three months after the mailing		timely filed ays will be considered timely. m the mailing date of this communication. IED (35 U.S.C. § 133).			
Status						
1) Responsive to communic	ation(s) filed on <u>10 Ja</u>	nuary 200 <u>5</u> .				
2a)⊠ This action is FINAL.	☐ This action is FINAL. 2b)☐ This action is non-final.					
,	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims		•				
4)	is/are withdraw wed. /are rejected. ected to.	n from consideration.				
Application Papers						
Replacement drawing sheet	is/are: a)□ acce at any objection to the d s) including the correction	pted or b) objected to by the rawing(s) be held in abeyance. So on is required if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).			
11) The oath or declaration is	objected to by the Exa	aminer. Note the attached Offic	e Action or form PTO-152.			
Priority under 35 U.S.C. § 119						
2. Certified copies of t3. Copies of the certification from the	None of: he priority documents he priority documents ed copies of the priori International Bureau	have been received. have been received in Applica ty documents have been receive	ntion Noved in this National Stage			
	74.					
Attachment(s)						
1) Notice of References Cited (PTO-892)		4) Interview Summar	y (PTO-413)			
Notice of Draftsperson's Patent Drawii Information Disclosure Statement(s) (Faper No(s)/Mail Date		Paper No(s)/Mail [5) Notice of Informal 6) Other:	Date Patent Application (PTO-152)			

Art Unit: 2633

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 12 and 13 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The specification is silent to asynchronously communicating the digital laser signal over the communication medium.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beauducel et al in view of Palmer.

Beauducel et al teaches

a system for communicating an analog input signal (abstract) as a modulated binary signal (abstract) over a communication medium (col. 3- lines 59-62) recovered as an output digital signal, the system (fig. 2) comprising

Art Unit: 2633

a sigma delta modulator (AE in fig. 2) for receiving the analog input signal and modulating the analog signal into a modulated symbol signal,

a transmitter (7) for converting the modulated symbol signal into the modulated binary signal (col. 3- lines 59-62), and for transmitting the modulated binary signal over the communication medium(col. 3- lines 59-62),

a receiver (8) for receiving and detecting the modulated binary signal for providing a received symbol signal, and

a digital filter (10) for filtering the symbol signal into the digital output signal.

Beauducel et al does not specify a modulated binary laser signal. However, Beauducel et al does suggest that one of many different types of transmitters is to be used including optical (col. 3-line 62). Further, Palmer et al. teaches a communication system wherein a sigma-delta modulator (26, and col. 3- lines 44-46) is used with a laser transmitter (34 and 36). Official notice is taken that lasers are notoriously used in optical transmitters, and are advantageous because they have a long coherence length and therefore may be used to transmit phase information, they are able to maintain spatial power-distribution for long distances allowing for long transmission distances over free-space or waveguides, and they enable one skilled in the art to pack a large number of wavelength channels close together (spectrally) in a transmission system, due to the narrow spectral bandwidth of lasers. At the time the present invention was made, it would have been obvious to one having ordinary skill in the art to use a laser to transmit a modulated binary laser signal, in order to realize any of the advantages cited above and widely known in the art.

Regarding claim 8, Beauducel et al teaches in the system the communication medium being fiber optic (claim 15 in Beauducel et al).

Art Unit: 2633

5. Claims 2-4 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beauducel et al in view of Palmer as applied to claim 1 above and further in view of Potratz et al.

Regarding claim 2, the combined teaching of Beauducel et al and Palmer specifically includes a symbol to binary converter for converting the modulated symbol signal (oversampled analog signal, in abstract) from the sigma-delta modulator into a converted digital signal (lower resolution digital words, in abstract). Though a symbol to binary converter is not mentioned per se, one is inherently disclosed by disclosing the function performed above, as means are necessary to perform the function. Accordingly, Beauducel et al's teaching accounts for producing binary signals from the symbol signals produced the sigma-delta modulator. Either this function is incorporated into the sigma-delta modulator, in the transmitter (7) or otherwise, mention of particular means is omitted from Beauducel et al, since it would be inherent to the teaching of transmitting digital signals, to include said means.

The teaching of Beauducel et al and Palmer does not specify a pulse width modulator for modulating the laser signal by the converted digital signal into the modulated binary laser signal as a pulse width binary modulated laser signal communicated over the communication medium. However, Beauducel et al does suggest that the transmitter (7) include a modulator to modulate an optical signal (col. 3- lines 59-63), without specifying the type of modulation. Further, Potratz teaches a system for communicating an analog input signal as a binary optical signal (fig. 1), wherein a sigma-delta modulator is employed with a pulse-width modulator that modulates an optical signal.

At the time the present invention was made, it would have been obvious to one having ordinary skill in the art to further modify the teaching of Beauducel et al and Palmer to include a

Art Unit: 2633

pulse-width modulator in the transmitter, as taught in Potratz. The signal of the modified teaching must be represented somehow on a laser carrier. The choice of pulse-width modulation is a design choice, and would have been altogether obvious to one having ordinary skill in the art. One having ordinary skill in the art would have been motivated to use pulse-width modulation, for instance, to represent the long words of binary bits that the system of Beauducel et al transmits (abstract) by using NRZ, which in effect is pulse width modulation (the longer the pulse, the greater the number of binary I's in a word). This is known to utilize less bandwidth. However, this being a design choice, it depends entirely on the intended use of the system and the type of data to be transmitted.

Regarding claim 3, the means in the receive side recited correspond to reversing the signal processing steps applied in the transmit size. Though the combined teaching of Beauducel, Palmer and Potratz does not specifically disclose that the receiver comprises a pulse width detector receiving the pulse width modulated binary laser signal and for providing a detected binary signal, generally a pulse-width modulator is used in the art in combination with a pulse-width demodulator. Accordingly, it would have been obvious, if not inherent to the teaching, for one having ordinary skill in the art to include a pulse-width detector in the modified receiver of Beauducel et al, Palmer and Potratz (8) where a pulse-width modulator is present in the transmitter (7), in order to decode the pulse-width information. The combined teaching of Beauducel, Palmer and Potratz does not specifically mention per se a binary to symbol converter for converting the detected binary signal into the received symbol signal. However, Beauducel et al does teach that the function is performed in the system; lower resolution words are converted

Art Unit: 2633

to higher resolution words (abstract). Accordingly, means to perform the function are inherent to the disclosure. In this case, the digital filter performs the function.

Regarding claim 11, the claim recites the same limitations recited in claim 3 with the base claims of claim 3.

Regarding claim 4, quantization is inherent to any conversion from analog to digital signals. Accordingly, the pulse width detector is a pulse width quantizer detector, the detected binary signal is a detected quantized signal, the binary to symbol converter converts the detected quantized signal into the received symbol signal.

6. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Beauducel et al in view of Palmer as applied to claim 1 above, and further in view of Scott et al.

The combined teaching of Beauducel et al and Palmer does not include a timing recovery loop for generating a timing signal from the received symbol signal for clocking the digital filter. Scott teaches a transmission signal that utilizes a sigma-delta modulator, wherein in the receiving side, a timing recovery loop (707) for generating a timing signal from the received symbol signal is used for clocking different elements (fig. 7, col. 5- lines 7-12). Scott teaches that using this timing recovery loop minimizes effects of any timing jitter during transmission (col. 5- lines 7-12). At the time the present invention was made, it would have been obvious to one having ordinary skill in the art to use the timing recovery loop taught in Scott to drive the digital filter in the combined teaching of Beauducel et al and Palmer in order to minimize the effects of timing fitter as taught in Scott resulting in lower error in receiving the data.

Art Unit: 2633

7. Claims 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beauducel et al in view of Palmer as applied to claim 1 above, and further in view of applicant's admitted prior art (AAPA) (fig. IA- 1B, pages 6-7).

The combined teaching of Beauducel et al and Palmer does not specify first or second order sigma-delta converters. However, AAPA shows both types of sigma-delta modulators as well known in the prior art and used in data transmission.

Regarding claim 6, it would have been obvious to one having ordinary skill in the art to use a first order sigma-delta modulator as known in the art at the time the present invention was made (as admitted by applicant) in the system of the combined teaching of Beauducel et al and Palmer, because a first order sigma-delta modulator is the simplest sigma-delta modulator and requires the least number of parts. Hence it offers one having ordinary skill in the art the advantage of lower cost and/or simpler assembly in the event that the level of error offered by a first order sigma-delta modulator is sufficient for the specific needs of the system (this being a matter of design choice).

Regarding claim 7, it would have been obvious to one having ordinary skill in the art to use a second order sigma-delta modulator as known in the art at the time the present invention was made (as admitted by applicant) in the system of the combined teaching of Beauducel et al and Palmer, because a second order sigma-delta modulator results in a smaller error at the output of the modulator (AAPA, page 7- lines 3-5). One having ordinary skill in the art would have been motivated to use a second order sigma delta modulator in the event where a smaller error was needed to meet the demands of the system (the level of tolerance for error being entirely a matter of design choice and depends on the application and other considerations).

Application/Control Number: 09/577,221 Page 8

Art Unit: 2633

Response to Arguments

- 8. Applicant's arguments filed 1/10/05 have been fully considered but they are not persuasive. In response to applicant's argument that the prior art cited by the examiner fails to specifically teach a sigma delta modulator for generating a pulse width modulated binary signal for representing an analog input, which binary signal can be communicated without synchronization, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In a claim drawn to a process of making, the intended use must result in a manipulative difference as compared to the prior art. See *In re Casey*, 370 F.2d 576, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 312 F.2d 937, 939, 136 USPQ 458, 459 (CCPA 1963).
- 9. Applicant's arguments filed 5/17/04 have been fully considered but they are not persuasive. The applicant has failed to amend the claims in a manner which presents patentable subject matter. The applicant essentially argues that examiner has engaged in impermissible hindsight in combining the cited references. In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971). The examiner maintains that the

combination of references teach the claimed invention and that the examiner has taken into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure. As such, the reconstruction is proper.

- 10. In response to applicant's argument that the combination of Beauducel and Palmer fails to obviate the claimed invention, the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981).
- In response to applicant's argument that the examiner has failed to recognized the problem solved and the solution, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In a claim drawn to a process of making, the intended use must result in a manipulative difference as compared to the prior art. See *In re Casey*, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963).
- 12. Applicant's arguments fail to comply with 37 CFR 1.111(b) because they amount to a general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references.

Art Unit: 2633

- 13. Applicant's arguments do not comply with 37 CFR 1.111(c) because they do not clearly point out the patentable novelty which he or she thinks the claims present in view of the state of the art disclosed by the references cited or the objections made. Further, they do not show how the amendments avoid such references or objections.
- 14. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).
- 15. Applicant's arguments filed 10/2/03 have been fully considered but they are not persuasive. The applicant argues that the examiner has failed to provide reason for using a binary modulated laser signal. However, the opposite is true. The examiner clearly states in the office action that it would have been advantageous for one skilled in the art to use a laser for transmission of the binary signal being that lasers well known to have a long coherence length, they are able to maintain spatial power distribution for long distances, and they allow for wavelength division multiplexing. Furthermore, Beauducel clearly suggests that a variety of different transmitters could be used depending upon the application of the system (column 3 lines 59-62). Based on this suggestion, the examiner turns to Palmer to show that it is well known in the art to combine a sigma delta modulator and a laser in an optical transmission system. That Beauducel suggests a sigma delta modulator connected to some type of optical transmitter and Palmer explicitly teaches the use of a sigma delta modulator and a laser for the transmission of an optical communication signal directly contradicts the applicant's assertion that Palmer is no way relevant to the invention of Beauducel.

Art Unit: 2633

- 16. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., On/off binary modulation, asynchronous transmission) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).
- 17. In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

Conclusion

18. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Art Unit: 2633

however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Agustin Bello whose telephone number is (571) 272-3026. The examiner can normally be reached on M-F 8:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jason Chan can be reached on (571)272-3022. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AB

AGUSTIN BELLO
PATENT EXAMINER